Neuroscience Letters, 151 (1993) 237–239
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abreu, P., see Alonso, R., 150
Aguirre, J., see Narvaez, J., 182
Akaike, N., see Takahashi, K., 51
Akiguchi, I., see Nakamura, S., 196
Akiguchi, I., see Nagao, M., 37
Alonso, R., Abreu, P., Fajardo, N. and Sánchez-Criado, J.E., Progesterone does not mediate the inhibition of pineal melatonin production during the rat proestrous night, 150
Amaducci, L., see Taddei, N., 158
Ando, S., Waki, H. and Kon, K., Differential fatty acid release from CA1 and CA3 regions of rat hippocampal slices under hypoxia and hypoglycemia, 48
Andres, K.H. and von Düring, M., Lamellated receptors in the skin of the hagfish, *Myxine glutinosa*, 74
Annicchiarico-Petruzzelli, M., see Melino, G., 187
Arai, T., see Nakao, S.-i., 33
Arai, Y., see Sumida, H., 41
Arlazoroff, A., see Werber, E.A., 234
Aroniadou, V.A., Maillis, A. and Stefanis, C.C., Dihydropyridine-sensitive calcium channels are involved in the induction of *N*-methyl-D-aspartate receptor-independent long-term potentiation in visual cortex of adult rats, 77

Bartucci, F., see Braga, P.C., 85
Bennett, G.J., see Tal, M., 107
Bennett, G.W., see Waterfall, A.H., 97
Bernard, G., see Ziylan, Y.Z., 59
Bernini, A., see Braga, P.C., 85
Bhalla, R.C., see Hay, M., 121
Bourre, J.-M., see Ziylan, Y.Z., 59
Bowie, D. and Smart, T.G., Interplay between expressed non-NMDA receptors and endogenous calcium-activated chloride currents in *Xenopus laevis* oocytes, 4
Braga, P.C., Sasso, M.D., Bernini, A., Bartucci, F., Pollo, A. and Carbone, E., Antinociceptive activity of salmon calcitonin: electrophysiological correlates in a rat chronic pain model, 85
Bruggencate, G. ten, see Feasey-Truger, K.J., 25

Camici, G., see Taddei, N., 158
Canonaco, M., see Tavolaro, R., 192
Carbone, E., see Braga, P.C., 85
Carette, B., Poulain, P. and Delacourte, A., Electrophysiological effects of 25–35 amyloid-β-protein on guinea-pig lateral septal neurons, 111
Carter, N.D., see Nógrádi, A., 162
Cecchi, C., see Taddei, N., 158
Chapman, J., see Werber, E.A., 234
Chihara, K., see Kaji, H., 81
Chuang, D.-M., see Sunaga, K., 45
Clarke, R.W., see Waterfall, A.H., 97
Correia-de-Sá, P. and Ribeiro, J.A., Facilitation of [^{3}H]-ACh release by forskolin depends on A_2-adenosine receptor activation, 21
Cuello, A.C., see Liberini, P., 200

Delacourte, A., see Carette, B., 111
Delaere, P., see Le Prince, G., 71
Delivoria-Papadopoulos, M., see Goel, R., 219
Dosemeci, A., see Link, W.T., 89
Droge, M.H., see Gonzalez, D.L., 134
Duyckaerts, C., see Le Prince, G., 71

Edwards, G.L., see Hay, M., 121

Facchiano, F., see Gobbi, M., 205
Fages, C., see Le Prince, G., 71
Fajardo, N., see Alonso, R., 150
Feasey-Truger, K.J., Kargl, L. and Bruggencate, G. ten, Differential effects of dentate kindling on working and reference spatial memory in the rat, 25
Finazzi-Agró, A., see Melino, G., 187
Floyd, C.C., see Link, W.T., 89
Franzoni, M.F., see Tavolaro, R., 192
Freud-Silverberg, M. and Shainberg, A., Electric stimulation regulates the level of Ca-channels in chick muscle culture, 104
Friedberg, E.B. and Ross, D.T., Degeneration of rat thalamic reticular neurons following intrathalamic domoic acid injection, 115
Frittoli, E., see Gobbi, M., 205
Fuchs, J.L., see Gonzalez, D.L., 134
Fukuuchi, Y., see Suzuki, N., 1
Fuxe, K., see Narvaez, J., 182

Garaschuk, O., Kovalchuk, Y. and Krishtal, O., Glutamate and θ-rhythm stimulation selectively enhance NMDA component of EPSC in CA1 neurons of young rats, 29
Garcia-Ladona, F.J. and Gombos, G., Regional distribution of transient [^{3}H]kainic acid-binding sites in the central nervous system of the developing mouse: an autoradiographic study, 209
Gibson, M.J., see Livne, I., 229
Goadsby, P.J., Inhibition of calcitonin gene-related peptide by h-CGRP(8–37) antagonizes the cerebral dilator response from nasociliary nerve stimulation in the cat, 13
Gobbi, M., Facchiano, F., Frittoli, E., Luini, A. and Mennini, T., Tetanus toxin inhibits depolarization-induced [^{3}H]serotonin release from rat brain cortex synaptosomes, 205
Goel, R., Mishra, O.P., Razdan, B. and Delivoria-Papadopoulos, M., Modification of NMDA receptor by in vitro lipid peroxidation in fetal guinea pig brain, 219
Gombos, G., see Garcia-Ladona, F.J., 209
Gonzalez, D.L., Fuchs, J.L. and Droge, M.H., Distribution of NMDA receptor binding in developing mouse spinal cord, 134
Gotoh, J., see Suzuki, N., 1
Guerrero, J.M., see Molinero, P., 130
Guyenet, P.G., see Huangfu, D., 224

Harata, N., see Takahashi, K., 51
Hatanaka, M., see Takahashi, J.B., 174
Hauw, J.-J., see Le Prince, G., 71
Hay, M., Edwards, G.L., Lindsley, K., Murphy, S., Sharma, R.V., Bhalla, R.C. and Johnson, A.K., Increases in cytosolic Ca^{2+} in rat area postrema/mNTS neurons produced by angiotensin II and arginine-vasopressin, 121
Hidaka, H., see Kiuchi, K., 55
Horsburgh, K., Inglis, F.M. and McCulloch, J., Focal increases in [^{3}H]forskolin and [^{3}H]phorbol 12,13-dibutyrate binding in the rat brain following lesions of the medial septum, 166
Hoshimaru, M., see Takahashi, J.B., 174
Huangfu, D., Koshiya, N. and Guyenet, P.G., Central respiratory

modulation of facial motoneurons in rats, 224

Imai, Y., see Shimojo, M., 170
Inglis, F.M., see Horsburgh, K., 166
Ishitani, R., see Sunaga, K., 45
Isozumi, K., see Suzuki, N., 1

Jarrott, B., see Lawrence, A.J., 126
Johnson, A.K., see Hay, M., 121
Juneja, R., Ueno, H., Segal, S.J. and Koide, S.S., Regulation of serotonin-induced calcium uptake in *Spisula* oocytes by tricyclic antidepressants, 101

Kaji, H., Takahashi, Y. and Chihara, K., The regional distribution of thyrotropin-releasing hormone receptor messenger ribonucleic acid in the brain, 81
Kameda, H., see Takahashi, K., 51
Kamo, H., see Nagao, M., 37
Kanaho, Y., see Kanoh, H., 146
Kaneda, N., see Kiuchi, K., 55
Kano, Y., see Sumida, H., 41
Kanoh, H., Kanaho, Y. and Nozawa, Y., Requirement of adenosine 5′-triphosphate and Ca^{2+} for guanosine 5′-triphosphate-binding protein-mediated phospholipase D activation in rat pheochromocytoma PC12 cells, 146
Kargl, L., see Feasey-Truger, K.J., 25
Kataoka, M., see Takahashi, K., 51
Katsumata, K., see Sakurada, T., 142
Kelly, C., see Nógrádi, A., 162
Kikuchi, H., see Takahashi, J.B., 174
Kim, S.U., see Moretto, G., 17
Kimura, H., see Nakao, S.-i., 33
Kimura, J., see Nagao, M., 37
Kimura, J., see Nakamura, S., 196
Kimura, T., see Nakamura, S., 196
Kimura, Y., Yamada, Y. and Okada, Y., Excitatory effect of propentofylline on neurotransmission in guinea pig hippocampal slice, 9
Kisara, K., see Sakurada, T., 142
Kiuchi, K., Kiuchi, K., Kaneda, N., Sasaoka, T., Hidaka, H. and Nagatsu, T., Regulatory mechanism of dopamine biosynthesis in the striatum of transgenic mice carrying human tyrosine hydroxylase gene, 55
Kiuchi, K., see Kiuchi, K., 55
Knight, R.A., see Melino, G., 187
Kohsaka, S., see Shimojo, M., 170
Koide, S.S., see Juneja, R., 101
Kon, K., see Ando, S., 48
Koshiya, N., see Huangfu, D., 224
Koto, A., see Suzuki, N., 1
Kovalchuk, Y., see Garaschuk, O., 29
Krishtal, O., see Garaschuk, O., 29

Lawrence, A.J. and Jarrott, B., Nitric oxide increases interstitial excitatory amino acid release in the rat dorsomedial medulla oblongata, 126
Le Prince, G., Delaere, P., Fages, C., Duyckaerts, C., Hauw, J.-J. and Tardy, M., Alterations of glial fibrillary acidic protein mRNA level in the aging brain and in senile dementia of the Alzheimer type, 71
Lefauconnier, J.-M., see Ziylan, Y.Z., 59
Liberini, P., Piccardo, P. and Cuello, A.C., Alz-50 immunoreactivity in the central nervous system of adult rat and primate, 200
Lightman, S.L., see Melino, G., 187
Liguri, G., see Taddei, N., 158
Lindsley, K., see Hay, M., 121
Link, W.T., Dosemeci, A., Floyd, C.C. and Pant, H.C., Bovine neurofilament-enriched preparations contain kinase activity similar to casein kinase I — Neurofilament phosphorylation by casein kinase I (CKI), 89
Livne, I., Gibson, M.J. and Silverman, A.-J., Gonadotropin-releasing hormone (GnRH) neurons in the hypogonadal mouse elaborate normal projections despite their biosynthetic deficiency, 229
Luini, A., see Gobbi, M., 205

Maillis, A., see Aroniadou, V.A., 77
Malz, C.R., see Schober, A., 67
Matsuoka, S., see Suzuki, N., 1
McCulloch, J., see Horsburgh, K., 166
Melino, G., Stephanou, A., Annicchiarico-Petruzzelli, M., Knight, R.A., Finazzi-Agró, A. and Lightman, S.L., Modulation of IGF-2 expression during growth and differentiation of human neuroblastoma cells: retinoic acid may induce IGF-2, 187
Mennini, T., see Gobbi, M., 205
Meyer, D.L., see Schober, A., 67
Mishra, O.P., see Goel, R., 219
Mizushima, S., see Shimojo, M., 170
Molinero, P. and Guerrero, J.M., Vasoactive intestinal peptide stimulates type II thyroxine 5'-deiodinase and *N*-acetyltransferase activities in dispersed pineal cells of euthyroid and hypothyroid rats, 130
Moretto, G., Yoo, A. and Kim, S.U., Human astrocytes and cytokines: tumor necrosis factor alpha and interferon gamma do not promote astrocytic proliferation, 17
Mori, K., see Nakao, S.-i., 33
Murphy, S., see Hay, M., 121

Naganuma, Y., see Suzuki, N., 1
Nagao, M., Kamo, H., Akiguchi, I. and Kimura, J., Induction of c-Fos-like protein in the lateral habenular nucleus by persistent noxious peripheral stimulation, 37
Nagatsu, T., see Kiuchi, K., 55
Nakajima, K., see Shimojo, M., 170
Nakamura, S., Takemura, M., Ohnishi, K., Suenaga, T., Nishimura, M., Akiguchi, I., Kimura, J. and Kimura, T., Loss of large neurons and occurrence of neurofibrillary tangles in the tuberomammillary nucleus of patients with Alzheimer's disease, 196
Nakao, S.-i., Arai, T., Mori, K., Yasuhara, O., Tooyama, I. and Kimura, H., High-dose ketamine does not induce c-Fos protein expression in rat hippocampus, 33
Narvaez, J., Aguirre, J. and Fuxe, K., Subpicomolar amounts of NPY(13–36) injected into the nucleus tractus solitarius of the rat counteract the cardiovascular responses to L-glutamate, 182
Nassi, P., see Taddei, N., 158
Nasu, M., see Taniguchi, I., 178
Nishimura, M., see Nakamura, S., 196
Nishizuka, M., see Sumida, H., 41
Nógrádi, A., Kelly, C. and Carter, N.D., Localization of acetazolamide resistant carbonic anhydrase III in human and rat choroid plexus by immunocytochemistry and in situ hybridisation, 162
Nozawa, Y., see Kanoh, H., 146

O'Regan, M.H., see Phillis, J.W., 94
Ohnishi, K., see Nakamura, S., 196
Okada, Y., see Kimura, Y., 9

Pant, H.C., see Link, W.T., 89

Perkins, L.M., see Phillis, J.W., 94
Phillis, J.W., O'Regan, M.H. and Perkins, L.M., Adenosine 5'-triphosphate release from the normoxic and hypoxic in vivo rat cerebral cortex, 94
Piccardo, P., see Liberini, P., 200
Pollo, A., see Braga, P.C., 85
Poulain, P., see Carette, B., 111
Pugliano, F.A., Wilcox, T.O., Rossiter, J. and Saunders, J.C., Recovery of auditory structure and function in neonatal chicks exposed to intense sound for 8 days, 214

Ramponi, G., see Taddei, N., 158
Razdan, B., see Goel, R., 219
Ribeiro, J.A., see Correia-de-Sá, P., 21
Ross, D.T., see Friedberg, E.B., 115
Rossiter, J., see Pugliano, F.A., 214

Sakurada, S., see Sakurada, T., 142
Sakurada, T., Katsumata, K., Yogo, H., Tan-No, K., Sakurada, S. and Kisara, K., Antinociception induced by CP 96,345, a non-peptide NK-1 receptor antagonist, in the mouse formalin and capsaicin tests, 142
Sánchez-Criado, J.E., see Alonso, R., 150
Sanjou, K., see Takahashi, K., 51
Saria, A., see Zernig, G., 64
Sasaoka, T., see Kiuchi, K., 55
Sasso, M.D., see Braga, P.C., 85
Saunders, J.C., see Pugliano, F.A., 214
Schober, A., Malz, C.R. and Meyer, D.L, Enzymehistochemical demonstration of nitric oxide synthase in the diencephalon of the rainbow trout *(Oncorhynchus mickiss)*, 67
Segal, S.J., see Juneja, R., 101
Shainberg, A., see Freud-Silverberg, M., 104
Sharma, R.V., see Hay, M., 121
Shibata, S. and Watanabe, S., A neuroprotective effect of histamine H_1 receptor antagonist on ischemia-induced decrease in 2-deoxyglucose uptake in rat hippocampal slices, 138
Shimizu, T., see Suzuki, N., 1
Shimojo, M., Imai, Y., Nakajima, K., Mizushima, S., Uemura, A. and Kohsaka, S., Interleukin-2 enhances the viability of primary cultured rat neocortical neurons, 170
Silverman, A.-J., see Livne, I., 229
Smart, T.G., see Bowie, D., 4
Sorbi, S., see Taddei, N., 158
Sparkman, D.R., X-ray probe microanalysis of Alzheimer disease soluble and insoluble paired helical filaments, 153
Stefanis, C.C., see Aroniadou, V.A., 77
Stephanou, A., see Melino, G., 187
Suenaga, T., see Nakamura, S., 196
Sumida, H., Nishizuka, M., Kano, Y. and Arai, Y., Sex differences in the anteroventral periventricular nucleus of the preoptic area and in the related effects of androgen in prenatal rats, 41
Sunaga, K., Chuang, D.-M. and Ishitani, R., Autoradiographic demonstration of an increase in muscarinic cholinergic receptors in cerebellar granule cells treated with tetrahydroaminoacridine, 45
Suzuki, N., Fukuuchi, Y., Koto, A., Naganuma, Y., Isozumi, K., Matsuoka, S., Gotoh, J. and Shimizu, T., Cerebrovascular NADPH diaphorase-containing nerve fibers in the rat, 1

Taddei, N., Liguri, G., Sorbi, S., Amaducci, L., Camici, G., Nassi, P., Cecchi, C. and Ramponi, G., Cerebral soluble ubiquitin is increased in patients with Alzheimer's disease, 158
Takahashi, J.B., Hoshimaru, M., Kikuchi, H. and Hatanaka, M., Developmental expression of *trkB* and low-affinity NGF receptor in the rat retina, 174
Takahashi, K., Kameda, H., Kataoka, M., Sanjou, K., Harata, N. and Akaike, N., Ammonia potentiates $GABA_A$ response in dissociated rat cortical neurons, 51
Takahashi, Y., see Kaji, H., 81
Takemura, M., see Nakamura, S., 196
Tal, M. and Bennett, G.J., Dextrorphan relieves neuropathic heat-evoked hyperalgesia in the rat, 107
Taniguchi, I. and Nasu, M., Spatio-temporal representation of sound intensity in the guinea pig auditory cortex observed by optical recording, 178
Tan-No, K., see Sakurada, T., 142
Tardy, M., see Le Prince, G., 71
Tavolaro, R., Canonaco, M. and Franzoni, M.F., The neuroanatomic binding pattern of [^{125}I]atrial natriuretic factor in the Japanese quail brain, 192
Tooyama, I., see Nakao, S.-i., 33
Troger, J., see Zernig, G., 64

Uemura, A., see Shimojo, M., 170
Ueno, H., see Juneja, R., 101

von Düring, M., see Andres, K.H., 74

Waki, H., see Ando, S., 48
Watanabe, S., see Shibata, S., 138
Waterfall, A.H., Clarke, R.W. and Bennett, G.W., Detection of thyrotrophin releasing hormone in rat brain in vivo using novel antibody microprobes: effects of amphetamine, 97
Werber, E.A., Chapman, J. and Arlazoroff, A., Brainstem auditory evoked potentials in experimental autoimmune dementia, 234
Wilcox, T.O., see Pugliano, F.A., 214

Yamada, Y., see Kimura, Y., 9
Yasuhara, O., see Nakao, S.-i., 33
Yogo, H., see Sakurada, T., 142
Yoo, A., see Moretto, G., 17

Zernig, G., Troger, J. and Saria, A., Different behavioral profiles of the non-peptide substance P (NK_1) antagonists CP-96,345 and RP 67580 in Swiss albino mice in the black- and- white box, 64
Ziylan, Y.Z., Lefauconnier, J.-M., Bernard, G. and Bourre, J.-M., Hormonal influence on the permeability of the blood–brain barrier: effect of an analog of adrenocorticotropic hormone, β 1–24 corticotrophin, 59